

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

BUILDING PRODUCT INFORMATION SHEET

Product Name:

CLASS 1

Place of Manufacturer: **New Zealand** **Overseas** (please tick applicable)

Legal and Trading name of the Manufacturer(s):

We source our products from various quality approved Overseas manufacturers. For details relating to a product batch or lot number you intend to purchase please contact the team on BPiRenquiries@konnectshop.com for additional specific information.

Legal and Trading name of the Importer (if applicable):

Address for Service:

STREET NAME SUBURB

CITY, COUNTRY POSTCODE

Website	<input type="text" value="konnectfasteningsystems.co.nz"/>
Email Address	<input type="text" value="BPiRenquiries@konnectshop.com"/>
Phone No (if applicable)	<input type="text" value="0508 566 632"/>
NZBN (if applicable)	<input type="text" value="9429037435394"/>

Product Identifier/Drawing (if applicable):



Product Description:

Konnect roofing fastener systems have a self-drilling tip, a threaded shank, a sealing washer and a hex drive head. Heads are stamped with a 'U' in accordance with tests conducted to AS/NZS 3566. Screws may be accompanied by profiled, embossed, or bonded over-washers and a EPDM Neo under the head of the HWF of the screw

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Scope of Use

Generally used for attaching roofing and wall cladding to primary structures, and flashings and side laps to roofing sheets or to primary structure.

Limitations

Contact with corrosive and incompatible materials, and prolonged exposure to damp or corrosive internal environments must be avoided.

Materials

Alutite screw material is AA2024 Aluminium (SS4338)
Contains (in wgt %) 4.4% Copper 1.5% Magnesium and 0.6 Manganese

Installation

Installation should be carried out by a suitably qualified practitioner in accordance with good trade practice, manufacturers recommendations and the Metal Roofing and Wall Cladding code of practice.

Maintenance

Maintenance must be carried out in accordance with the manufacturer's recommendations. Screws exhibiting red rust of the shank should be replaced before they affect the durability of the material being fastened.

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Compliance with NZ Building Code (NZBC): In alphabetical order

Konnect Roofing Fastener Systems will contribute to compliance with the following clauses of the New Zealand Building Code.

NZBC B1 Structure

Konnect Roofing Fastener Systems structural strength complies with AS/NZS 3566 section. Pull out values have been tested in accordance with recommendations in the Metal Roofing Code of Practice.

NZBC E2 External Moisture

The sealing washers used for Konnect Fastening Systems comply with AS/NZS 3566 section.

NZBC F2 Hazardous Building Materials

Konnect Fastening Systems meet the performance requirements of F 2.3.1.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26:

Version

Date