

**Support Services:**

11 Bruce Roderick Drive,  
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

## BUILDING PRODUCT INFORMATION SHEET

Product Name

**CLASS 1**

Place of Manufacturer:      **New Zealand**       **Overseas**  (please tick applicable)

**Legal and Trading name of the Manufacturer(s):**

We source our products from various quality approved Overseas manufacturers. For details relating to a product batch or lot number you intend to purchase please contact the team on [BPiRenquiries@konnectshop.com](mailto:BPiRenquiries@konnectshop.com) for additional specific information.

**Legal and Trading name of the Importer (if applicable):**


**Address for Service:**

STREET NAME       SUBURB

CITY, COUNTRY       POSTCODE

<b>Website</b>	<input type="text" value="konnectfasteningsystems.co.nz"/>
<b>Email Address</b>	<input type="text" value="BPiRenquiries@konnectshop.com"/>
<b>Phone No</b> (if applicable)	<input type="text" value="0508 566 632"/>
<b>NZBN</b> (if applicable)	<input type="text" value="9429037435394"/>

**Product Identifier/Drawing (if applicable):**



**Product Description:**

Chemical Stud anchors are a non expansion type fastener that is used in masonry/concrete substrates with pre-drilled holes in conjunction with the appropriate specified resin. They comprise of a stud, nut, and washer with either a chisel or flat cut point.

#### Support Services:

11 Bruce Roderick Drive,  
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

#### Scope of Use

Fixing to concrete or masonry  
Residential and commercial buildings  
Where it requires closer edge distance and spacing  
Excellent holding power in weak base materials  
Light to High load applications

#### Limitations

It is the responsibility of the user to select the correct size and grade of fastener that will meet the requirements required for that particular installation and environment

#### Materials

Grade 5 in Zinc Plated, Galvanised coating  
Grade 8 in Galvanised coating  
  
Stainless Steel in 316 grade  
  
Available in M12-24mm in standardised industry lengths

#### Installation

- (1) Drill hole of suitable diameter and anchor depth for stud length required
- (2) Clean hole with appropriate wire brush
- (3) Blow hole out removing dust and debris
- (4) Prepare suitable chemical as specified and inject into drilled hole
- (5) Insert anchor into hole, rotating the stud slowly as it is pushed to require depth
- (6) Once chemical is fully cured to manufacturers specification anchor can be tensioned

#### Maintenance

Ongoing maintenance for this product is not required

**Support Services:**

11 Bruce Roderick Drive,  
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

**Compliance with NZ Building Code (NZBC):** In alphabetical order

B1 Structure	Relating to Clauses 3.1, 3.2, 3.3, 3.4
B2 Durability	Relating to Clause 3.1
C3 Fire affecting Area Beyond the Source	Relating to Clause 6.2
C6 Structural Stability	Relating to Clause 6.2
F2 Hazardous Building Materials	Relates to Clause 3.1

For further definitions to the NZ building codes stated over go to the below web link.

<https://www.building.co.nz/building-code-compliance/>

**Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?**

Yes  No

If yes, description of the warning or ban under section 26:

Version

Date