

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

BUILDING PRODUCT INFORMATION SHEET

Product Name: Rivets

CLASS 1

Place of Manufacturer: New Zealand Overseas (please tick applicable)

Legal and Trading name of the Manufacturer(s):

We source our products from various quality approved Overseas manufacturers. For details relating to a product batch or lot number you intend to purchase please contact the team on BPiRenquiries@konnectshop.com for additional specific information.

Legal and Trading name of the Importer (if applicable):

Konnect Fastening Systems

Address for Service:

STREET NAME 11 Bruce Roderick Drive SUBURB East Tamaki

CITY, COUNTRY Auckland, New Zealand POSTCODE 2013

Website

konnectfasteningsystems.co.nz

Email Address

BPiRenquiries@konnectshop.com

Phone No (if applicable)

0508 566 632

NZBN (if applicable)

9429037435394

Product Identifier/Drawing (if applicable):



Product Description:

Konnect Fastening Systems Rivets have been designed for a range of application for the Roofing Market in New Zealand they come in Different grades of materials

- 1/ All Aluminum Rivet
- 2/ All Stainless Steel Rivet
- 3/ All Steel Rivet

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Scope of Use

To Join Metal flashing to metal profile Roofs and Cladding

Limitations

For Interior and exterior use in all NZS 3604 Exposure and wind zones subject to material selection

Materials

Aluminium / Aluminum
Steel / Steel
Stainless Steel / Stainless Steel

Installation

1. Select suitable size nozzle for your rivet tool
2. Insert rivet into jaws of the rivet tool
3. Ensure nozzle is flush with the rivet head and the rivet is flush with the base material
4. Squeeze rivet tool - repeat until the rivet stem breaks away

Maintenance

Maintenance must be carried out in accordance with the manufacturer's recommendations. Rivets exhibiting red rust on the body should be replaced before they affect the durability of the material being fastened.

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Compliance with NZ Building Code (NZBC): In alphabetical order

Konnect Roofing Fastener Systems will contribute to compliance with the following clauses of the New Zealand Building Code.

NZBC B1 Structure

Konnect Roofing Fastener Systems structural strength complies with AS/NZS 3566 section. Pull out values have been tested in accordance with recommendations in the Metal Roofing Code of Practice.

NZBC E2 External Moisture

The sealing washers used for Konnect Fastening Systems comply with AS/NZS 3566 section.

NZBC F2 Hazardous Building Materials

Konnect Fastening Systems meet the performance requirements of F 2.3.1.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26:

Version

Date