

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

BUILDING PRODUCT INFORMATION SHEET

Product Name:

CLASS 1

Place of Manufacturer: **New Zealand** **Overseas** (please tick applicable)

Legal and Trading name of the Manufacturer(s):

We source our products from various quality approved Overseas manufacturers. For details relating to a product batch or lot number you intend to purchase please contact the team on BPiRenquiries@konnectshop.com for additional specific information.

Legal and Trading name of the Importer (if applicable):

Address for Service:

STREET NAME SUBURB

CITY, COUNTRY POSTCODE

Website	<input type="text" value="konnectfasteningsystems.co.nz"/>
Email Address	<input type="text" value="BPiRenquiries@konnectshop.com"/>
Phone No (if applicable)	<input type="text" value="0508 566 632"/>
NZBN (if applicable)	<input type="text" value="9429037435394"/>

Product Identifier/Drawing (if applicable):



Product Description:

Konnect branded through bolts are available in Zinc and Galvanised finishes. They are used to anchor objects into concrete and masonry by mechanical expansion. The Through Bolt is a torque-controlled expansion anchor.

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Scope of Use

Through Bolts are to be used for light to heavy duty anchoring in solid concrete. Can be used for fastening in both internal and external environments depending on the finish of the fastener.

Limitations

Marine use and high corrosion areas
To be used in solid concrete only.
Cannot be used close to the edge of concrete
Cannot be removed without damaging the concrete

Materials

Zinc
Galvanised

Installation

It is the responsibility of the user to select the correct size and grade of fastener that will meet the requirements required for that particular installation and environment

1. Drill a hole to the required size and embedment depth
2. Clean dust/material from hole
3. Drive the anchor through the fixture into the hole until firmly against the fixture
4. Tighten to the appropriate torque

Maintenance

Periodic inspection for corrosion recommended

Support Services:

11 Bruce Roderick Drive,
East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Compliance with NZ Building Code (NZBC): In alphabetical order

B1 Structure	Relating to Clauses 3.1, 3.2, 3.3 3.4
B2 Durability	Relating to Clauses 3.1
F2 Hazardous building materials	Relating to Clauses 3.1

For further definitions to the NZ building codes stated over go to the below web link.
<https://www.building.co.nz/building-code-compliance>

Compliance with codes is based upon the use of correct coating or size dependent on specific application.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No

If yes, description of the warning or ban under section 26:

Version

Date